

Transaction Information

Tool ID	MNA2103
Tool Status	Connected
Location	Malta, NY
Wafer Size	300 mm
Fab Section	Support Tools
Tool Available Date	2020-01-21

General Product Information

Vendor Supplier	DESPATCH
Model	PWB-48X38X64-3E
Vintage	2011
Serial No	183011
Asset Description	DESPATCH Bake-out Cabinet Oven
Software Version	N/A
CIM	
Process	Drying Oven

Hardware Configuration (Fab)

System Type	Description	Quantity	Status
Main System	DESPATCH Bake-out Cabinet Oven	1	OK
Handler System	N/A	0	
Factory Interface	NONE	0	
Options System	N/A	0	
Others			

Hardware Configuration (Subfab / Auxilliary Units)

Description	Quantity	Status
N/A	0	

Missing/Faulty Parts / Accesories List

Description	Quantity
NONE	0

Tool Pictures

General

General



General

General



General

General







Hardware Fab

Hardware Configuration (Fab)



WARNING

DO NOT PLACE EQUIPMENT INTO

OPERATION WITHOUT THE "OPERATOR'S MANUAL" INSTRUCTIONS. ALWAYS READ THE EQUIPMENT MANUAL AND OPERATOR'S MANUAL BEFORE USING THE EQUIPMENT. ALWAYS USE THE EQUIPMENT AS INSTRUCTED IN THE OPERATOR'S MANUAL.

CAUTION

THESE CAUTIONS CAN RESULT IN PROPERTY DAMAGE.

BEFORE USING THIS EQUIPMENT READ THE OPERATOR'S MANUAL CAREFULLY AND FOLLOW THE WARNING AND INSTRUCTIONS FROM THE CUSTOMER SERVICE REPRESENTATIVE. IF YOU DO NOT HAVE A MANUAL, CONTACT THE MANUFACTURER FOR MORE INFORMATION.

THIS EQUIPMENT MUST COMPLY WITH ALL APPLICABLE SAFETY PROCEDURES AND TRAINING REQUIREMENTS AS STATED IN THE OPERATOR'S MANUAL AND THE NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) 33.

DO NOT OPEN CLOSED CONTAINERS OF ANY LIQUID IN THIS OVEN BECAUSE OF THE RISK OF BURNING UNDER HEAT.

OPERATOR'S LINE

1-800-473-7373
1-952-469-8230

WWW.DESPATCH.COM

DESIGN INFORMATION AND SPECIFICATION

THIS EQUIPMENT (SERIAL NUMBER) 183011
 HAS BEEN DESIGNED SPECIFICALLY FOR GLOBAL FOUNDRIES
 AND THE FOLLOWING CONDITIONS:
 USE OF EQUIPMENT: BAKING TOOLS
 AMOUNT OF PRODUCT: VARIES
 HEATING TIME: VARIES
 MAX. OPERATING TEMPERATURE 204 °C 400 °F
 F.A. DUCT: N/A EXH. DUCT: 2.00" DIA
 F.A. DAMPER BLADE CUT TO: N/A
 EXH. DAMPER BLADE CUT TO: N/A
 MINIMUM PURGE TIME REQUIRED: 0 MINUTES
 TYPE OF SOLVENT (FLAMMABLE LIQUID OR GAS): N/A
 MAXIMUM AMOUNT ALLOWED: N/A

DO NOT CHANGE THIS EQUIPMENT OR THE PROCESS STATED ABOVE WITHOUT WRITTEN PERMISSION FROM DESPATCH INDUSTRIES, INC.

SERVICE (U.S.): 1-800-473-7373
 SERVICE (INT): 1-952-469-8230
 WEBSITE: WWW.DESPATCH.COM 074257L

DESIGN SPECIFICATIONS


SERIAL 183011
 MODEL PWB*48x38x64-3E
 HEATER TYPE ELECTRIC
 HEATER CAPACITY 24KW
 HEATER AMPS 66.6A
 LINE VOLTAGE 208V-3PH-60HZ
 LARGEST MOTOR AMPS 8.5A
 TOTAL MOTOR AMPS 8.5A
 FULL LOAD AMPS 79.4A
 MAIN SWITCH AMPS 100A
 MAIN SWITCH S.C.I.R. 85KA
 ENCLOSURE S.C.C.R. 9KA
 GAS SUPPLY NA
 ELECTRICAL DWG 305560*

Despatch

SERVICE (U.S.): 1-800-473-7373
 SERVICE (INT): 1-952-469-8230
 WEBSITE: WWW.DESPATCH.COM
 PIN: 181512A

Manufacture Serial

Manufacturer Serial Number Plate



Additional Tool Data Files